


# Legend




This document is a subject to the copyright of AUDI AG, Ingolstadt. Any duplication, distribution, storage, communication, broadcast and reproduction or transmission of the contents without written approval from AUDI AG is prohibited.




Audi Q5 hybrid quattro

2011 – 2016



# Legend





2011 - 2016

## Identifying feature

The Audi Q5 hybrid quattro can be identified by means of the "hybrid" logo.



#### Hints



In the case of accidents in which the airbags are deployed, the high-voltage system is deactivated.

In the case of accidents with deployed/undeployed airbags

- ▶ Place Vehicle in Park and set parking brake
- Switch off the ignition
- Disconnect the negative terminals of the 12V battery



# The electric motor is silent!



It may not be possible to detect that the car is ready to go by the noises it makes when in operation, as the electric motor is silent. If the large needle in the dial on the left of the instrument cluster (power metre) is not on "OFF" (for example on the "READY position), you have to expect that the electric motor may run or the internal combustion engine may start automatically.

#### Switch off the ignition



With the ignition switched on and the key in the ignition: Switch off the ignition by pressing the key into the ignition lock without depressing brake pedal. Pull out the key.



With the ignition switched on and the key not in the ignition (possible with the convenience key):

Press START ENGINE STOP button without depressing brake pedal. If possible, take the convenience key outside the transmission range of the vehicle (5 meter).



Risk of Injury: By pressing the key/the START ENINGE STOP button with depressing brake pedal, the engine starts!



# Audi Q5 hybrid quattro

2011 - 2016

## Disconnect the negative terminals of the 12V batteries

#### Option A:

Release the luggage compartment floor by means of the screws indicated by the arrows (screwdriver in the car tool kit) Disconnect the ground cables from both 12V batteries (picture on right)

## Option B:

Lever up the luggage compartment floor by inserting a crowbar at the points indicated. Lift up the luggage compartment floor. Disconnect the ground cables from both 12V batteries (picture on right)





## Identification of the high-voltage components

Identification of the high-voltage battery



Identification of the The high-voltage battery is located under the luggage compartment floor.

It is a Lithium-ion battery.


Identification of the remaining high-voltage components






All the high-voltage leads and the high-voltage connections are provided with orange insulation. These items must not be disconnected or damaged.

2008 – 2016



# Legend



This document is a subject to the copyright of AUDI AG, Ingolstadt. Any duplication, distribution, storage, communication, broadcast and reproduction or transmission of the contents without written approval from AUDI AG is prohibited.

#### Legal Disclaimer:

This manual has been created exclusively for rescuers who have been specially trained in the area of providing emergency rescue after automobile accidents and who are therefore qualified to use the activities described in this manual. Furthermore, this manual shows the maximum possible equipment specification in the model overview.

Vehicle specifications and special options as well as Audi model availability are constantly subject to change. Therefore, Audi reserves the right to change the content of this manual at all times.

Please note: The information contained in this manual is not intended for customers or for repair shops and dealers. Customers may gather detailed information from their vehicle owner's manual regarding vehicle function as well as any occupant safety features and system descriptions.

Repair shops and dealers obtain repair information through their normal channels.

(Status: 12/2018)



#### Hint:

The maximum possible equipment specification is always shown In the model overview.

You will find "Rescue and Recovery involving Audi Vehicles" in a separate part of the same title.

The creation of this Rescue Data sheets is supported by Moditech Rescue Solutions (www.moditech.com). The vehicle overviews in the attachment are also included in interactive form in the data base "Crash Recovery System".

This document is a subject to the copyright of AUDI AG, IngoIstadt. Any duplication, distribution, storage, communication, broadcast and reproduction or transmission of the contents without written approval from AUDI AG is prohibited.