



12 V lead acid battery

48 V Lithium-ion battery (in 48 V mildhybrid

Warning 48 V: Danger of hazardous arc! Switch off Ignition before disconnecting the 48 V battery!



Legend



This document is a subject to the copyright of AUDI AG, IngoIstadt. Any duplication, distribution, storage, communication, broadcast and reproduction or transmission of the contents without written approval from AUDI AG is prohibited.

Audi Q8

from 2018

12 V lead acid battery

- 1. remove foot mat
- 2. Dopen floor flap
- 3. separate minus pole of the 12 V battery







48 V Lithium-ion battery (in 48 V mildhybrid)



The 48 V on-board power supply is automatically deactivated during accidents in which the airbag(s) deployed.

For all other cases, in order to deactivate the on-board power supply the 48 V Lithium-ion battery has to be separately disconnected in addition to the 12 V lead acid battery. Therefore:



Turn off ignition before separating the 48 V battery!


- 1. remove the cargo floor from the trunk
- 2. emove the spare tire and vehicle toolkit
- 3. remove the over from the 48 V Lithium-Ion battery by removing the four bolts with a screwdriver
- 4. pull out the communication connector plug
- 5. Temove the pole cap and undo the screws of the minus pole (brown/purple cable)




WARNING! Hazard due to electric arc











Legal Disclaimer:

This manual has been created exclusively for rescuers who have been specially trained in the area of providing emergency rescue after automobile accidents and who are therefore qualified to use the activities described in this manual. Furthermore, this manual shows the maximum possible equipment specification in the model overview.

Vehicle specifications and special options as well as Audi model availability are constantly subject to change. Therefore, Audi reserves the right to change the content of this manual at all times.

Please note: The information contained in this manual is not intended for customers or for repair shops and dealers. Customers may gather detailed information from their vehicle owner's manual regarding vehicle function as well as any occupant safety features and system descriptions.

Repair shops and dealers obtain repair information through their normal channels.

(Status: 12/2018)



Hint:

The maximum possible equipment specification is always shown in the model overview.

You will find "Rescue and Recovery involving Audi Vehicles" in a separate part of the same title.

The creation of this Rescue Data sheets is supported by Moditech Rescue Solutions (www.moditech.com). The vehicle overviews in the attachment are also included in interactive form in the data base "Crash Recovery System".

This document is a subject to the copyright of AUDI AG, Ingolstadt. Any duplication, distribution, storage, communication, broadcast and reproduction or transmission of the contents without written approval from AUDI AG is prohibited.