



from 2014



Legend







from 2014

Characteristic features

The A3 e-tron can be identified by the e-tron logo, the orange cables (e. g. in engine compartment) and the charging socket.









Vehicle immobilization

- 1. Gear lever in position park "P"
- 2. Apply parking brake





Switch off ignition

Press START-ENGINE-STOP button without depressing brake pedal.





Warning: When pressing the START-ENGINE-STOP button and depressing the brake pedal at the same time, the engine will start!




from 2014


Deactivation of High Voltage System

Alternative 1 - Engine compartment accessible

- 1. Localize emergency disconnect
- 2. Open safety disconnect










Alternative 2 – Emergency disconnect fuse in passenger compartment

- 1. Identify emergency fuse
- 2. Disconnect emergency fuse







Fuse box in glove compartment right-hand drive (steering wheel right)





from 2014

Disconnect 12 V battery

The 12 V battery is located in the luggage compartment below the luggage compartment floor. The cables of both terminals are fed out directly through the plastic cover.







Disconnect charging cable

Vehicle connected to charging station:


- 1. Unlock vehicle via remote control or central locking switch
- 2. Disconnect charging cable

If required, follow further steps of this rescue data sheet






Legend






Audi A3 / S3 / RS3 Limousine

from 2013





Legend





from 2013









from 2013

Shut off gas tank manually


(e.g. in the case of smell of gas or leaking natural gas)

1. Access to natural gas tanks




- ► Gas tanks are accessible from underbody.
- Gas tanks are protected by a plastic cover. In order to access the gas tanks, the cover needs to be removed without damaging the components of the gas system located below.

2. Locate safety valves



► Each gas tank is equipped with its individual cylinder valve and manual stopcock.

3. Switch off gas tank manually




- ► If required, each fuel tank must allow separate shut-off.
- ▶ By means of a 5 mm open-end wrench or ring spanner the manual shut-off valve may be shut off by means of turning the square clockwise until reaching the stop of the valve.




Audi A3 / S3 / RS3 Sportback

from 2012




Legend






Audi A3 / S3 (3-door)

from 2012




Legend








2008 – 2013



Legend










Audi A3 / S3 / RS3 Sportback

2004 – 2012















Audi A3 / S3 (3-door)

2003 – 2012











Audi A3 (5-door)

1999 – 2003









Audi A3 / S3 (3-door)

1996 – 2003



Legend



Legal Disclaimer:

This manual has been created exclusively for rescuers who have been specially trained in the area of providing emergency rescue after automobile accidents and who are therefore qualified to use the activities described in this manual. Furthermore, this manual shows the maximum possible equipment specification in the model overview.

Vehicle specifications and special options as well as Audi model availability are constantly subject to change. Therefore, Audi reserves the right to change the content of this manual at all times.

Please note: The information contained in this manual is not intended for customers or for repair shops and dealers. Customers may gather detailed information from their vehicle owner's manual regarding vehicle function as well as any occupant safety features and system descriptions.

Repair shops and dealers obtain repair information through their normal channels.

(Status: 12/2018)



Hint:

The maximum possible equipment specification is always shown In the model overview.

You will find "Rescue and Recovery involving Audi Vehicles" in a separate part of the same title.

The creation of this Rescue Data sheets is supported by Moditech Rescue Solutions (www.moditech.com). The vehicle overviews in the attachment are also included in interactive form in the data base "Crash Recovery System".